Author Index

Volume 31 (1991)

| Abhyankar, S.S., S. Chandrasekar and V. Chandru, Intersection of algebraic space | |
|--|-------------|
| curves | (2) 81- 96 |
| Agarwal, P.K., A. Aggarwal, B. Aronov, S.R. Kosaraju, B. Schieber and S. Suri, | |
| Computing external farthest neighbors for a simple polygon | (2) 97-111 |
| Aggarwal, A., see P.K. Agarwal | (2) 97-111 |
| Aranov, B., see P.K. Agarwal | (2) 97-111 |
| Arikati, S.R. and C. Pandu Rangan, An efficient algorithm for finding a two-pair, | |
| and its applications (Note) | (1) 71- 74 |
| Chandrasekar, S., see S.S. Abhyankar | (2) 81- 96 |
| Chandru, V., see S.S. Abhyankar | (2) 81- 96 |
| Chen, B., Tighter bound for MULTIFIT scheduling on uniform processors | (3) 227-260 |
| Culik II, K. and T. Harju, Splicing semigroups of dominoes and DNA | (3) 261-277 |
| Dwyer, R.A., Convex hulls of samples from spherically symmetric distributions | (2) 113-132 |
| Egyed, P. and R. Wenger, Ordered stabbing of pairwise disjoint convex sets in linear | |
| time | (2) 133-140 |
| Fukuda, K., S. Saito and A. Tamura, Combinatorial face enumeration in | |
| arrangements and oriented matroids | (2) 141-149 |
| Fukuda, K., S. Saito, A. Tamura and T. Tokuyama, Bounding the number of k-faces | |
| in arrangements of hyperplanes | (2) 151-165 |
| Goodman, J.E. and R. Pollack, The complexity of point configurations | (2) 167-180 |
| Harju, T., see K. Culik II | (3) 261-277 |
| Jaromczyk, J.W. and M. Kowaluk, Constructing the relative neigborhood graph in | |
| 3-dimensional Euclidean space | (2) 181-191 |
| Kaparthi, S. and H.R. Rao, Higher dimensional restricted lattice paths with diagonal | |
| steps | (3) 279-289 |
| Kosaraju, S.R., see P.K. Agarwal | (2) 96-111 |
| Kowaluk, M., see J.W. Jaromczyk | (2) 181-191 |
| Maehara, H., Distances in a rigid unit-distance graph in the plane | (2) 193-200 |
| Moser, W.O.J., Problems, problems, problems | (2) 200-225 |
| Olariu, S., Some aspects of the semi-perfect elimination | (3) 291-298 |
| Pandu Rangan, C., see S.R. Arikati | (1) 71- 74 |
| Penaud, J.G., Matrice de ramification des arbres binaires | (1) 1-21 |
| Pirlot, M., Synthetic description of a semiorder | (3) 299-308 |
| Pollack, R., see J.E. Goodman | (2) 167-180 |
| Rao, H.R., see S. Kaparthi | (3) 279-289 |
| Reid, K.B., The relationship between two algorithms for decisions via sophisticated | |
| majority voting with an agenda | (1) 23- 28 |
| Saito, S., see K. Fukuda | (2) 141-149 |
| Saito, S., see K. Fukuda | (2) 151-165 |

Elsevier Science Publishers B.V. (North-Holland)

Author Index

| Schäffer, A.A., Recognizing brittle graphs: remarks on a paper of Hoàng and | |
|--|-------------|
| Khouzam | (1) 29- 35 |
| Schieber, B., see P.K. Agarwal | (2) 97-111 |
| Soardi, P.M. and W. Woess, Uniqueness of currents in infinite resistive networks | (1) 37- 49 |
| Suri, S., see P.K. Agarwal | (2) 97-111 |
| Tamura, A., see K. Fukuda | (2) 141-149 |
| Tamura, A., see K. Fukuda | (2) 151-165 |
| Tokuyama, T., see K. Fukuda | (2) 151-165 |
| Wang, C. and A.C. Williams, The threshold order of a Boolean function | (1) 51-69 |
| Wenger, R., see P. Egyed | (2) 133-140 |
| Williams, A.C., see C. Wang | (1) 51- 69 |
| Woess, W., see P.M. Soardi | (1) 37- 49 |

